

Trusted by the Best





Since the very beginning, we've lived on the edge.



4-5	Commitment	20-21	Walk Greens Mowers
6-7	A Model Intro	22-23	Riding Greens Mowers
8-9	A Model TechControl	24-25	Aerators, Bunker Rakes
10-11	A Model Fairway Mowers	26-27	ProGator <sup>®</sup> , Sprayers
12-13	A Model Trim and Surrounds	28-29	Utility Vehicles, Commercial Mowing
14-15	A Model Rough Mowers	30-31	Compact Tractors, Skid Steers
16-17	Hybrid Technology, Cutting Units	32-33	John Deere Financial, STIHL <sup>®</sup>
18-19	A Model Rough Mowers	34-35	Parts



And we've brought everyone who has ever owned a John Deere golf product there as well. Keeping them on the edge of quality. On the cutting edge of innovation. Firmly on the edge of integrity. And never leaving the edge of commitment.

In 1987, we brought those same qualities to the golf course industry, becoming a formidable player in less than ten years. Today, we're still pushing that edge of quality, innovation, integrity and commitment at courses all over the world.

On behalf of our entire network of John Deere Golf distributors and employees worldwide, we promise to always keep you on the leading edge.

Trusted by the Best.





Committed to you.  
Committed to the game.



John Deere Classic



## The First Tee®

John Deere Golf is proud to be a trustee of The First Tee, a youth development organization that uses the game of golf to impact the lives of millions of young people. Besides supporting The First Tee network, we've supported a golf maintenance career-oriented curriculum with the PGA TOUR®. This experience, known as "Careers on Course," will help young people understand the scientific, technological, and business aspects of a golf management career. Already, participants have been very enthusiastic about learning the basics of golf course maintenance.





The First Tee

Platinum Alliance Partner  
of the CMAA



Platinum Partner  
of the GCSAA



Official Golf Course Equipment  
Supplier of the PGA Tour



OFFICIAL  
GOLF COURSE  
EQUIPMENT  
SUPPLIER



Green Start Academy

Official Golf Course Turf  
Equipment Partner of  
PGA of America



Official Partner National Golf  
Course Owners Association



## Green Start Academy

Since 2005, John Deere Golf has run the Green Start Academy for assistant superintendents in partnership with Bayer. Only 50 are chosen by a highly qualified panel of superintendents to be a part of this exclusive event in North Carolina, which gives them the opportunity to network with peers and participate in discussions with industry experts.



## GCSAA Turf Bowl

Since 2010, John Deere Golf has sponsored this popular competition at the Golf Industry Show that engages hundreds of undergraduate students in the areas of mathematics, turfgrass growth and development, and identification of soils, diseases, weeds, insects, and turfgrass species. Thanks to John Deere, these turf schools compete for not only cash prizes but also the ability to work on the crew at major events.



## Get the control and the results that you've always dreamed of.

### **A Model Fairway, Rough, and Trim and Surrounds mowers.**

Now your presence can be felt on every part of your course. That's the control you get with the A Model mowers from John Deere. Thanks to our TechControl display, no matter who is operating the mower, you can easily program these mowers to mow and turn at exact speeds, to transport at preset speeds, and to lock in fuel savings. You can also plug in service reminders and get diagnostic feedback quickly and accurately. And all of your operators can now perform in a more consistent fashion.

But that's only part of the A Model story. There's the proven technology you get with our E-Cut™ Hybrid Fairway mowers. The increased traction drive on our Trim and Surrounds mowers. The superior contouring deck system on our Rough mowers. The improved after-cut appearance and operator stations. And so much more.



### **Automotive-style operation**

The AutoPedal™ system features ergonomic twin pedals that control both forward and reverse direction, as well as engine RPMs, eliminating the need for a separate throttle. Similar to a car, the further the pedal is pressed, the engine speed and travel speed of the unit increases in transport.



### **Reliable and durable**

The front internal wet disc brakes on our new A Models have no brake linkages or need adjustments, reducing the need for routine maintenance. And throughout the machines there are enhanced corrosion resistance features.





The new 8900A PrecisionCut™ is a five gang reel-unit that features our QA7 26-inch and 30-inch cutting units and delivers increased performance and productivity in both fairways and the rough. The 8900A has 26" and 30" verticutters and large capacity reel motors for scalping during over-seed operations.



#### Faster entry and exit

Getting on and off these machines is now a breeze thanks to the conveniently placed fore and aft steps (4-wheel units only). And nothing could be more comfortable than getting in the seat. There's more leg room, a wider front platform, tilt steering, and a deluxe seat.



#### Efficient maintenance = increased uptime

With our Quick Adjust cutting units, adjustments take mere minutes. And when you consider all the diagnostic features of our TechControl display, your technician can better manage service timelines and keep your fleet up and running.




## Control like never before. Right at your fingertips.

The passcode protected TechControl display lets you precisely set mow, turn, and transport speeds. You also have the ability to instantly see any operational alerts and set service timers. Simply set the mow speed precisely for your conditions, have the mower slow down during turns while cross cutting to protect against turf scuffing and preset the top transport speed. Plus, the TechControl display is an on-board visual diagnostic tool allowing quick and easy machine diagnostics, maximizing up time.



With the Mow Speed screen, you can set the mowing speed simply and quickly. Unlike a speed limiting system using a bolt, once the speed is locked in, it stays locked in. Similar to the Mow Speed screen, the Transport Speed is set electronically. You determine the speed at which your operators mow and transport just by pressing a button.



This is something superintendents will really love: the Turn Speed screen lets you slow down a mower to a percentage of the mowing speed as the cutting units are lifted after a pass, greatly reducing scuffing. The mower then resumes its normal speed after the reels are lowered back down for the next pass.





The Mow Engine speed screen allows the superintendent to reduce the throttle settings for when the PTO is engaged. With our E-Cut™ Hybrid mowers, you can bring the engine speed down to 2300 RPMs, significantly reducing engine noise while also increasing fuel economy.



The TechControl display is unparalleled in its ability to give timely feedback to the operator and service technician. A message appears in the display screen alerting the operator and the status screens help the technician quickly and accurately diagnose the issue.



The LoadMatch™ screen lets you manage the conditions in which you are mowing, as well as the terrain. Thanks to LoadMatch, if the reels come under heavy load while mowing, the machine's traction speed will slow allowing reels to turn and maintain cut quality.







7700A PrecisionCut

## PrecisionCut™ Fairway Mowers

The PrecisionCut A Model Fairway Mowers offer several features that separate it from the competition. Like the eHydro™ hydrostatic pump and large capacity motors for serious hill-climbing capabilities. The GRIP All-Wheel Drive Traction System provides superior traction by reducing wheel slip. And exclusive LoadMatch lets you cut through wet, lush grass evenly by slowing down the traction speed.

Getting on or off these mowers is no problem, thanks to easy entry and exit points. And there are plenty of operator comfort features, like foot-operated tilt steering and a deluxe suspension seat with multiple adjustments for all-day productivity.



7500A

- TechControl Display
- Set mowing turn speed
- AutoPedal™ system
- Maximum rated hp (kW): 41.6 (31 kW)
- 5-in (12.7 cm) diameter reels
- Cutting width: 100-in (254 cm)
- Compliance: US/CAN Tier 4



7700A

- TechControl Display
- Set mowing turn speed
- AutoPedal™ system
- Maximum rated hp (kW): 41.6 (31 kW)
- 7-in (17.8 cm) diameter reels
- Cutting width: 100-in (254 cm)
- Compliance: US/CAN Tier 4



8700A

- TechControl Display
- Set mowing turn speed
- AutoPedal™ system
- Maximum rated hp (kW): 55.1 (41.1)
- 7-in (17.8 cm) diameter reels
- Cutting width: 100-in (254 cm)
- Compliance: US/CAN Tier 4



8900A

- TechControl Display
- Set mowing turn speed
- AutoPedal™ system
- Maximum rated hp (kW): 55.1 (41.1)
- 7-in (17.8 cm) diameter reels
- 114-in (289.6 cm) up to 130-in (330.2 cm)
- Compliance: US/CAN Tier 4





7500A PrecisionCut



8700A PrecisionCut



### 6080A

- TechControl Display
- Set mowing turn speed
- 3-wheel, smooth tire configuration
- Standard GRIP AWD
- Maximum rated hp (kW): 24.7 (18.4 kW)
- 5-in. (12.7 cm) diameter reels
- Cutting width: 80-in (203 cm)
- Compliance: US/CAN Tier 4

### 6500A

- TechControl Display
- Set mowing turn speed
- 3-wheel, smooth tire configuration
- Standard GRIP AWD
- Maximum rated hp (kW): 24.7 (18.4 kW)
- 5-in. (12.7 cm) diameter reels
- Cutting width: 100-in (254 cm)
- Compliance: US/CAN Tier 4

### 6700A

- TechControl Display
- Set mowing turn speed
- 3-wheel, smooth tire configuration
- Standard GRIP AWD
- Maximum rated hp (kW): 24.7 (18.4 kW)
- 7-in. (17.8 cm) diameter reels
- Cutting width: 100-in (254 cm)
- Compliance: US/CAN Tier 4





7500A E-Cut Hybrid

## E-Cut™ Hybrid Fairway Mowers

The John Deere E-Cut Hybrid Fairway Mowers take high-performance hybrid technology to the next level. The E-Cut Hybrid technology uses a 48-V alternator to power the cutting units via electric motors, eliminating all hydraulic leak points from the reel circuit, where 90 percent of all hydraulic leaks occur.

In addition to the elimination of leak points, the E-Cut Hybrid Fairway Mowers can be set through the TechControl display to automatically operate at a reduced throttle of 2300 rpm for noise reduction, as well as fuel savings up to 30 percent as compared to hydraulic units.



7500A E-Cut Hybrid

- \_\_\_\_\_  
TechControl Display
- \_\_\_\_\_  
Set mowing turn speed
- \_\_\_\_\_  
AutoPedal™ system
- \_\_\_\_\_  
Maximum rated hp (kW): 41.6 (31 kW)
- \_\_\_\_\_  
5-in (12.7 cm) diameter reels
- \_\_\_\_\_  
Cutting width: 100-in (254 cm)
- \_\_\_\_\_  
Compliance: US/CAN Tier 4



8000A E-Cut Hybrid

- \_\_\_\_\_  
TechControl Display
- \_\_\_\_\_  
Set mowing turn speed
- \_\_\_\_\_  
3-wheel low PSI smooth tire configuration
- \_\_\_\_\_  
Maximum rated hp (kW): 41.6 (31 kW)
- \_\_\_\_\_  
5-in (12.7 cm) diameter reels
- \_\_\_\_\_  
Cutting width: 80-in (203 cm)
- \_\_\_\_\_  
Compliance: US/CAN Tier 4



### Climb hills with ease

Both the PrecisionCut™ and E-Cut™ Hybrids Mowers feature an eHydro™ hydrostatic pump with 35% more traction drive and large-capacity wheel motors with 17% more displacement than previous generation mowers for serious hill-climbing capabilities. Add more traction with optional GRIP All-Wheel Drive (standard on 8000A E-Cut Hybrid Mower).





7200A PrecisionCut

## 7200A PrecisionCut™ and 7400A TerrainCut™ Trim & Surrounds

These two mowers change the way trim and surrounds areas are maintained. Both the 7200A and 7400A are Final Tier 4 compliant without sacrificing horsepower and the 7400 has 12% more power than its predecessor. Both feature the exclusive Width On Demand system, right at the operator's fingertips. Operators can change the width of cut on the go with the simple toggle of a switch. And both also have the Reach Trimming System, which allows you to extend either the front left or front right deck 15 in. beyond the outside edge of the tire, allowing you to trim around bunkers and other areas.



### 7200A PrecisionCut Trim & Surrounds

- \_\_\_\_\_  
TechControl Display
- \_\_\_\_\_  
LoadMatch™ system
- \_\_\_\_\_  
35% larger traction drive
- \_\_\_\_\_  
17% larger wheel motor displacement
- \_\_\_\_\_  
Reach trimming system for bunkers
- \_\_\_\_\_  
Maximum rated hp (kW): 21.2 (15.8)
- \_\_\_\_\_  
7-in (17.8 cm) diameter reels
- \_\_\_\_\_  
Cutting width: 68-in (173 cm) to 72-in (183 cm)
- \_\_\_\_\_  
Compliance: US/CAN Tier 4



### 7400A TerrainCut Trim & Surrounds

- \_\_\_\_\_  
TechControl Display
- \_\_\_\_\_  
LoadMatch™ system
- \_\_\_\_\_  
35% larger traction drive
- \_\_\_\_\_  
17% larger wheel motor displacement
- \_\_\_\_\_  
Reach trimming system for bunkers
- \_\_\_\_\_  
Maximum rated hp (kW): 41.6 (31 kW)
- \_\_\_\_\_  
27 in. (68.6 cm) rotary decks
- \_\_\_\_\_  
Cutting width: 68-in (173 cm) to 74-in (188 cm)
- \_\_\_\_\_  
Compliance: US/CAN Tier 4



### 2653B PrecisionCut Trim and Surrounds Mower

- \_\_\_\_\_  
19.6-hp\* (14.6 kW) engine
- \_\_\_\_\_  
26-in. or 30-in. QA7 cutting units
- \_\_\_\_\_  
72-in. (183 cm) or 84-in. (213 cm) mowing width





8800A TerrainCut

## 8800A TerrainCut™ Rough Mower

The 8800A has powerful features that allow to stand out from other rough mowers. Like a robust, 55.1 HP turbocharged diesel, a 27% increase in horsepower over its predecessor. An eHydro™ hydrostatic pump combined with large displacement wheel motors to deliver performance for excellent hill climbing. Exclusive LoadMatch™ to help cut through thick, lush rough while maintaining a consistent traction speed. And internal wet-disc brakes that reduce maintenance and down time.

The 8800A features five solid 21-in. rotary decks with optimal overlapping, rear roller striping, and no-tool height-of-cut adjustments. A double-acting, single-rod hydraulic steering cylinder makes keeping straight lines a breeze and steering effortless.




### Power plant

The 8800A has 27% more horsepower than its predecessor for outstanding performance.



### Double yoke design

The new double yoke design on the 8800A rotary decks allows for 25 percent increase in contouring for the front decks.



### eHydro™ traction pump

Thanks to the eHydro traction pump and large-capacity wheel motors, the 8800A can handle hill climbing with ease.



### LoadMatch setting

The LoadMatch setting through the Tech Control display allows the 8800A to achieve a consistent cut, even in long, lush conditions.





8800A TerrainCut



### 8800A TerrainCut™ Rough Mower

TechControl Display

LoadMatch™ setting

27% more hp, 20% more torque in the mowing circuit

Maximum rated hp (kW): 55.1 (41.1)

21 in. (53 cm) rotary decks

Cutting width: 88-in (223 cm)

Compliance: US/CAN Tier 4







## No mowers generate more confidence.

Eliminating the possibility of a hydraulic leak in the reel circuit is just the beginning. E-Cut™ Hybrid technology delivers a cut that can be generated only by electricity. The reel speed always stays rock steady for a consistently ideal frequency of clip. So your course always looks pleasing to the eye and plays evenly as well.

No one else in the golf course industry can match our experience and expertise with hybrid mowers. From fairway mowers to riding and walking greens mowers, only John Deere can give you the trust and confidence that comes with this remarkable technology. Your fairways and greens are the highlights of your course. Give them the technology they deserve to look their very best, every day, every season, every year.




### No mowers generate more confidence

E-Cut Hybrid technology delivers a cut that can be generated only by electricity. The reel speed always stays rock steady for a consistently ideal frequency of clip.



### Simple for your crew to make the switch

Thanks to maintenance-free electric motors, no hydraulic lines in the reel circuit, and all the standard benefits of John Deere reel mowers like Quick Adjust cutting units.



### Proven hybrid performance

Since 2005, E-Cut Hybrid technology has been earning the trust of courses all over the world, thanks to design features like separating controllers from the motors to prevent overheating.



### More sustainable technology

With E-Cut Hybrid technology, these mowers can run at reduced throttle to save fuel and reduce noise levels. In fact, the 2500E is the quietest engine-powered riding greens mower when measured against ISO standards.






**Rear roller power brush**  
Prevents accumulation of grass clippings and other debris on the rear roller.



**Fairway/Greens Tender™ conditioner**  
Slices stolons, controls grain, and delivers a truer playing surface.



**Rollers**  
A full selection of spiral-grooved, continuous grooves, and solid options.



**Verticutter\***  
Dethatches and slices rhizomes and stolons to promote more vigorous turf density.

\*Not available for E-Cut Hybrids

## A revolution in time savings.

### Speed Link™ Cutting System

The reels on all our green, trim, and fairway mowers make all adjustments quick and easy, thanks to a revolutionary Speed Link system that makes it possible to adjust height of cut to both sides of the cutting unit in no time. A linking bar connects both sides of the rear roller to a high-reduction ratio worm gear, allowing one-thousandth-of-an-inch adjustments to be made to both sides of the roller simultaneously just by using a cordless drill (or 16 mm wrench).

#### QA5 5-inch diameter reel

Ideal for lower heights of cut  
18- or 22-in. widths  
Quick bedknife-to-reel adjustment  
7-, 11-, or 14-blade reels  
Interchangeable across the line,  
a real cost-saver

#### QA7 7-inch diameter reel

Ideal for warm-season grasses,  
cutting runners, and thatch  
22-, 26-, or 30-in. widths  
Quick reel-to-bedknife adjustment  
8- or 10- blade reels



14-blade reel





9009A TerrainCut

## 9009A TerrainCut™ Rough Mower.

Until now, using a wide area mower in the rough meant compromising on your quality of cut. But with our 9009A TerrainCut mower, you can maximize both your productivity and your cut quality.

With a 108-inch/9-foot cutting width, the 9009A is a five-gang, 27-inch (68.58 cm) independent rotary deck mower. A double-point yoke system on all five decks increases deck movement fore and aft, allowing for greater contour following and an even cut. And the 9009A has a greater deck overlap for superior side hill mowing.

The 9009A also sports a deeper deck design with a rear discharge for greater dispersion and a cleaner cut. And our exclusive LoadMatch™ system lets you mow in thick, lush conditions. And the 9009A features the same TechControl display found on our A-Model mowers. The TechControl lets you set precise mow, transport, and turn speeds while also allowing for quick and easy diagnostics.



### 9009A TerrainCut Rough Mower

TechControl Display

LoadMatch™ system

Maximum rated hp (kW) 55.1 (41.1 kW)

27 in. (68.6 cm) rotary decks

Cutting width: 9 feet; 108 in. (2.74 m)

Compliance: US/CAN Tier 4

Optional Mulch Kit

Optional Rear Roller Scraper Kit

Optional Operator Training Video TCU004







9009A TerrainCut



### No tools needed

All height-of-cut adjustments on the 9009A can be performed without tools with an innovative notch system. All it takes is a simple pull of a lever.



### Deep shell deck design

Our unique rear deck design allows for greater clippings dispersion and the deeper shell stands grass up for an even cut.



### TechControl Display

Passcode-protected TechControl Display lets you precisely set mowing speed, turning speed, or transport speed for consistent performance.



### Closely follow contours

The double yoke on the 9009A means the rotary decks follow the contours in the most undulating terrain for an exceptional quality and consistency of cut.





260SL PrecisionCut

## SL PrecisionCut™: Fewer steps to a better cut.

Some of the lightest mowers in their class, the SL PrecisionCut walk greens mowers allow effortless turning, better engagement with the turf for a consistent cut, and straighter tracking. Well-engineered cutting unit geometry provides the cleanest cut with minimal impact to the grass plant.



### 180/220/260SL

3.5 hp\* (2.6 kW)

2.7 U.S. qt. (2.5 L)

5.2 mph (8.4 km/h) with transport wheels

Standard reels, 11 blades, 5 in. (127 mm)

18-in., 22-in., 26-in. cutting widths

### A consistent cut

SL PrecisionCut walk greens mowers have a forward-mounted pivot point that reduces the operator's leverage over the mower's cutting plane.

### Fewer steps to adjust, easier to maintain

You can set height of cut with a cordless drill and switch rollers by simply removing two bolts.

### Better turning, smoother steering

On SL PrecisionCut walk greens mowers, the distance from the rear drum to front roller is deliberately short. This, along with the low weight of the machine, reduces the effort needed to make turns.






180 E-Cut Hybrid

## E-Cut™ Hybrid Mower: Follow undulations like never before.

Available in both 18- and 22-inch widths of cut, our 180 and 220 E-Cut Hybrid walk greens mowers offer an unparalleled ability to follow contours and steer around the cleanup pass. Thanks to the signature ball joint mounting system, the cutting unit can rotate in any direction.

### 180/220 E-Cut Hybrid

- 3.5 hp\* (2.6 kW) engine
- Electric motor drive reel cutting unit
- 1-QA5 18-in. or 22-in. cutting unit
- 2.7 U.S. gallon fuel tank
- Contour head design
- Adjustable frequency of clip
- Onboard backlapping



### Signature ball joint

Thanks to the signature ball joint mounting system, the cutting unit can rotate in any direction — fore/aft, laterally side to side, and 6 degrees of steering right and left.



### Adjustable frequency of clip with lockout

Frequency of clip can be adjusted with a simple dial, then mechanically locked to prevent further changes.



### Onboard backlapping

Motor can run reel in reverse, eliminating the need to remove the reel or attach a separate motor.



### Adjustable contouring

The limit chains on the 180 and 220 E-Cut can be adjusted for a range of motion that can match the contours of any green.





2500B E-Cut Hybrid

## The only riding greens mowers everyone can appreciate.

The 2500 E-Cut(TM) Hybrid riding greens mowers use electric reel motors instead of hydraulics. This innovative design cuts noise and fuel costs, and virtually eliminates the possibility of hydraulic leaks in the reel drive circuit.



### 2500E E-Cut

19.6-hp\* (14.6 kW) diesel  
or 21 hp\* (15.7 kW) gas

62-in. (157.5 cm) cutting width

Electric reel motors

3 cutting units; offset design

Bedknife-to-reel adjustment

3-QA5 22-in. (59.9 cm) cutting units

2-pedal hydrostatic transmission

Quietest riding greens mower  
according to ISO standards



### 2500B

19.6-hp\* (14.6 kW) diesel  
or 21 hp\* (15.7 kW) gas

62-in. (157.5 cm) cutting width

3 cutting units; offset design

Bedknife-to-reel adjustment


3-QA5 22-in. (59.9 cm) cutting units

2-pedal hydrostatic transmission





2500E E-Cut™ Hybrid



### Superb contour following

The exclusive ball joint suspension system provides exceptional contour following, steering with up to 18 degrees of side-to-side motion, and adjustable fore and aft motion.



### Grass catcher

Choose between direct-mounted catchers that are easy to put on and off and our unique weight-transferring catchers, which put less weight on the cutting unit.



### Reduce double rolling

The tires are located well inside the cutting units to reduce or eliminate double rolling during straight-line passes.



### Exclusive offset design

The offset cutting units greatly reduce triplex ring with a simple change in direction.





Aercore 2000

## Got acres and acres of aeration ahead of you? Put one of these behind you.

John Deere aerators employ a Flexi-Link design to ensure the tines stay perpendicular longer for a higher-quality hole—without sacrificing efficiency. Easily accessible belts power the systems instead of chains, making them quieter and easier to maintain. For fast, quality results, they deliver every time.



### Aercore™ 1000 Aerater

- Flexi-link coring system
- Requires minimum 15 PTO hp
- 37.5-in. (101.6 cm) coring swath
- Up to 4-in. (100 mm) coring depth
- V-belt coring head drive
- Sealed bearings



### Aercore™ 1500 Aerater

- Flexi-link coring system
- Requires minimum 22 PTO hp
- 57.5-in. (152.4 cm) coring swath
- Up to 4-in. (100 mm) coring depth
- V-belt coring head drive
- Sealed bearings



### Aercore™ 2000 Aerater

- Flexi-link coring system
- Requires minimum 33 PTO hp
- 77.5-in. (190.6 cm) coring swath
- Up to 4-in. (100 mm) coring depth
- V-belt coring head drive
- Sealed bearings



### Aercore™ 800 Walk-Behind Aerater

- Flexi-link coring system
- 25 hp\* (18.6 kW) gas engine
- 31.5-in. (80 cm) coring swath
- Up to 3.5-in. (88.9 mm) coring depth
- Matched dual V-belts head drive
- Lightweight design



### Precision Tine Series

Our expanded lineup of aeration tines includes three tiers – Standard, Plus, and Ultra – making it easy for you to get the precise tine for your application. Machined from carbon alloy steel, every tine undergoes a proprietary heat treating process so you experience a strong, long-lasting tine with precise core integrity.

### TC125 Collection System

Makes cleaning up cores a breeze. A 25-cubic foot and 48-inch collection swath can clear the average green in 15 minutes. The adjustable roller height allows for varying turf and prevents aggressive brush wear.







1200A Bunker Rake



1200H Rake

## A timeless design, a tireless workhorse.

Putting the finishing touches on a golf course bunker or a new-course construction project requires a delicate touch and excellent maneuverability. John Deere has two options that offer both: the gear-driven 1200A and 1200 Hydro. Quiet, reliable, and comfortable for operators, these workhorses are relied on by courses all over the world.



### 1200A Bunker Rake

13.5-hp\* (10.1 kW) engine

Up to 12.6 mph (0-20.3 km/h) travel speed

78-in. (1981 mm) rake width

Mechanical transmission with Kanzaki transaxle

Rake, cultivator, front blades, core removal blade, scarifier, scrapers, field finisher



### 1200H Rake

16-hp\* (11.9 kW) engine

Up to 10-mph (0-16.1 km/h) travel speed

72-in. (1828.8 mm) rake width

Hydrostatic 3-wheel-drive transmission

Mid-scarifier, rear rake, front blade





ProGator 2030A



ProGator 2020A

## Engineered for the long haul.

Let the heavy hauling begin. The 2020A features the only four-cylinder EFI gas engine in the category. With 34 hp\* and 970 cc of hill-climbing torque, you'll get strength, raw power, performance, and easy maintenance. No wonder the gas 2020A and diesel 2030A are ideal for heavy hauling, spraying, and top dressing. Done hauling? These vehicles can be converted to a SelectSpray™ sprayer in just minutes, without tools.



### ProGator™ 2030A Utility Vehicle

22.1 hp\* (16.5 kW) @3200 rpm, liquid-cooled engine

1115 cc diesel engine

5-speed synchromesh transmission

Up to 3,414 lbs. (1549 kg) payload w/ standard suspension and 4,157 lb. (1886 kg) payload w/ heavy-duty suspension, 4-Post ROPS, and wide rear tire kit. Includes 200 lb. operator, 200 lb. passenger, and loaded attachment.

19.1-mph (30.7 km/h) top speed



### ProGator™ 2020A Utility Vehicle

34 hp\* (25.4 kW) @3600 rpm, liquid-cooled engine

970 cc gas engine

5-speed synchromesh transmission

Up to 3,374 lbs. (1530 kg) payload w/ standard suspension and 4,251 lb. (1928 kg) payload w/ heavy-duty suspension, wide rear tire, and 4-Post ROPS. Includes 200 lb. operator, 200 lb. passenger, and loaded attachment.

19.1-mph (30.7 km/h) top speed







### HD200/H300

200 U.S. gal. (757 L) - HD200  
 300 U.S. gal. (757 L) - HD300

Hydraulically driven centrifugal  
 or diaphragm pump

97 gpm (centrifugal), 30.1 gpm  
 (diaphragm)

18-ft. boom option

15/21-ft. boom option

Automatic or manual rate controller

Triple nozzle bodies

Electrohydraulic lift system

Bidirectional breakaway boom system

## More choices than any other line of sprayers.

The SelectSpray™ Series spray system is built around flexibility and control. You can choose to equip one with a high-quality centrifugal or diaphragm pump, and when you need to move on to the next job, it all detaches in minutes, without tools.



### Controller options

Choose an economical manual controller or full-featured automatic rate controller. Both are capable of assuring the calibration and precise control for successful chemical applications.







TX Turf Gator

## You can't have enough Gator™ Utility Vehicles on your course.

Step up to the enhanced Gator TX Turf and you'll appreciate a deluxe cargo box that includes 16.4 cubic feet of capacity, pick-up style tailgate, 20 tie-down points, and a gas-assist shock for easier lifting and dumping.

And if you want to go electric, the TE can run all day on a single overnight charge and haul up to 500 pounds with the same deluxe cargo box you'll find on the TX. Plus, it's so quiet, you won't believe your ears.

And if you're looking for Gator Utility Vehicles off the course, we have a full line of crossover and recreational utility vehicles.



### TX Turf

401 cc gas engine  
600-lb. (876 kg) cargo box capacity  
15.5-mph (25 km/h) top speed



### TE

48-volt electric system  
500-lb. (272 kg) cargo box capacity  
15-mph (24.5 km/h) top speed



### XUV

401 cc gas engine  
600-lb. (876 kg) cargo box capacity  
15.5-mph (25 km/h) top speed







QuikTrak 652R

Walk-Behind WHP48A

ZTrak Z970R

## When you've got more to mow than just the course, we've got you covered.

John Deere is right there with you every step of the way with a full line of commercial mowing equipment that can handle any need you have. And no matter which mower you choose, your local John Deere commercial dealer stands at the ready with NEVERSTOP™ Services & Support: Customized financing made especially for the landscape industry, Next Day Parts Guarantee, Parts OnSite™ and our commercial loaner program for ZTraks™, QuikTraks™, and Commercial Walk Behind mowers, plus the service and support you expect from a John Deere commercial dealer.



### ZTrak™ 900 Series Mowers

Go from zero turn to infinite possibilities in no time flat, with the ZTrak 900 Series mowers. Thanks to the Power of 3, there's a Z9 made especially for you, whether you're in the market for a single workhorse or a fleet of thoroughbreds.



### QuikTrak™ 600 Series Mowers

This will get you out of your seat: the QuikTrak Series mowers. They raise the bar for what to expect, incorporating exclusive stand-on technology. A compact design and an ergonomic operator platform make these stand-ons the new standard.



### Walk-Behind Mowers

Run, don't walk, to take advantage of our full line of walk-behind mowers, including hydrostatic and gear models with pistol grips. Count on all of them for the perfect balance of performance, productivity, value, and control.





4052M Compact Tractor

## Run powerful and capable... well within your bottom line.

You'll want to get familiar with the 4M and 4R Series – because they're loaded with premium, state-of-the-art technology and smart new features like hitch assist and auxiliary hitch control. Operators will appreciate the up to 66 engine horsepower, standard four-wheel-drive, cab or open station options, a hydrostatic or geared PowrReverser™ transmission, advanced HST controls like MotionMatch™ and SpeedMatch™ cruise-control – oh, and compatibility with John Deere Quik-Park™ Loaders, Quick attach backhoes, and hundreds of implements and attachments. The more you know, the more you'll see why the new 4 Family makes for a truly premium operating experience.

### 4044M

Final Tier IV-compliant 43.1 hp\* PS (32.1 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Wheel spacers

Quick-tatch 485A backhoe compatible

### 4052R

Final Tier IV-compliant 51.5 hp\* PS (38.4 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Integrated HST controls

Open station with swivel seat and premium cab offering

HitchAssist and auxiliary rockshaft control

Wheel spacers

Quick-tatch 485A backhoe compatible

### 4052M

Final Tier IV-compliant 51.5 hp\* PS (38.4 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Wheel spacers

Quick-tatch 485A backhoe compatible

### 4066M

Final Tier IV-compliant 65.0 hp\* PS (49.1 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Wheel spacers

Quick-tatch 485A backhoe compatible

### 4044R

Final Tier IV-compliant 43.1 hp\* PS (32.1 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Integrated HST controls

Open station with swivel seat and premium cab offering

HitchAssist and auxiliary rockshaft control

Wheel spacers

Quick-tatch 485A backhoe compatible

### 4066R

Final Tier IV-compliant 65.9 hp\* PS (49.1 kW) diesel engine

eHydro™ and PowrReverser™ transmission options

Integrated HST controls

Open station with swivel seat and premium cab offering

HitchAssist and auxiliary rockshaft control

Wheel spacers

Quick-tatch 485A backhoe compatible





312GR Skid Steer



332G Skid Steer



320E Skid Steer

## Power, Performance, and Intelligence.

You said you wanted a big skid steer with even bigger abilities. And we heard you. The 330 and 332G's redesigned vertical-life loader design rises higher and reaches farther, for quicker, easier loading. Dishes out substantially greater boom and bucket breakout forces, too. In fact, these large frames have more horsepower than a small backhoe or crawler, so you accomplish more with just one skid steer. Plus, they work more comfortably in tight quarters, and they're easy to trailer. Who says you can't have it all?



### Unsurpassed visibility from the operators station

Offering one-of-a-kind options, our G- and E-Series let an operator decide how the work gets done. ISO, H-pattern, or foot/joystick electrohydraulic (EH) controls are all available. Or, choose our exclusive switchable EH option and select any of the above, any time, at the push of a button.







“John Deere Financial was very resourceful and transparent in packaging our lease. Because they’re also equipment experts, the people at John Deere Financial have a great grip on what we need. We always trust them to give us a fantastic end product.”

- Dan Meersman  
Director of Grounds  
Philadelphia Cricket Club



## John Deere Financial

No other golf maintenance equipment manufacturer has its own financial arm. This allows us to make the numbers work for you with financial solutions like the John Deere Financial MasterLease. Made especially for the golf course industry, the MasterLease is easy, flexible, and customizable. You’ll see real business advantages that owning can’t match. Like lower payments. Reduced maintenance costs. Access to the newest, high-tech equipment available. Saving cash and credit lines for other opportunities. And customizable payment schedules based on your individual needs.



### Get the parts you need now, pay later

We make it easy for you to get the parts you need when you need them with flexible payment options, including buy now, pay later programs.\* Ask your local John Deere dealer about special finance offers when you use your Multi-Use Account.

To learn more, contact your John Deere Equipment Distributor, or John Deere Financial at 888-777-2560.

### The Benefits of Leasing

Leasing your equipment gives your business a solid edge:

- Offers lower monthly payments
- Equipment acquisition in operating budget may offer tax benefits\*\*
- Keeps your equipment under warranty, reducing maintenance costs
- Lets you choose your payment date and simplify your payments with the Direct Payment option

\* Financing on approved John Deere Financial credit only. See your multi-use account merchant for complete details. John Deere Financial multi-use account is a service of John Deere Financial, f.s.b.

\*\* Consult your tax advisor.





**STIHL**®



FS 94 R Trimmer



BR 600 MAGNUM®  
Backpack blower



MS 261 CM Chainsaw

The #1-selling brand of gas-powered handheld outdoor power equipment in the US,\* STIHL is only sold by independent dealers – like the professionals at John Deere, who understand the value of these legendary chain saws, dependable trimmers, powerful blowers, convenient backpack sprayers and handy edgers for businesses like yours.

For more information, including detailed features and specs, visit [STIHLUSA.com](http://STIHLUSA.com) or [STIHL.ca](http://STIHL.ca).

\*"Number one selling brand" is based on syndicated Irwin Broh Research as well as independent consumer research of 2009-2012 U.S. sales and market share data for the gasoline-powered handheld outdoor power equipment category combined sales to consumers and commercial landscapers.





## Quality parts. Real solutions. Only from John Deere.

You can count on your John Deere Golf distributor to keep your operation moving with genuine John Deere parts and high-performance attachments.



### Smooth ProGator™ Utility Vehicle tire options

Help to reduce turf damage, while increasing performance in sprayer and topdresser applications.




### DT rotary turf brush

Ideal for dense turf varieties of cool- and warm-season turf grasses. When set at the height of cut, the exclusive helix design of this John Deere rotary turf brush creates a more consistent turf engagement across the cutting width of the reel in comparison with straight-rowed brushes. Additionally, when this rotary brush is used with our counter-rotating system, you'll see reduced grain for a truer playing surface and improved after-cut appearance.



### Hardened insert bedknives

These bedknives are engineered from hardened steel, so they stay sharp and last longer than conventional bedknives. Because these John Deere bedknives are created from hardened steel, technicians can expect to spend less time backlapping, grinding, and changing bedknives during the growing season. This translates into reduced time and labor.



### Shop for parts online at [JDParts.com](http://JDParts.com)


Order parts online right from your mobile device at [JDParts.com](http://JDParts.com) 24/7. The mobile version of [jdparts.deere.com](http://jdparts.deere.com) allows you to search by parts catalog, model number, part number, or keyword to locate the appropriate parts and attachments.





## Strategy. Convenience. Partnership.

With our Parts OnSite program, you get all these benefits through the support of your John Deere dealer. Working together, you can develop the best stocking strategy to ensure you have all the maintenance parts you need, and stock them at YOUR shop so they're on-hand when you actually need them. Your dealer also helps maintain the inventory and takes care of the restocking when you're ready. It's that simple. We like to think of it as a common-sense approach to saving time and increasing productivity.



### Direct-mount Grass Catcher System for riding and walk greens mowers

This new system is designed to retain clippings by reducing the air volume and routing it out of the catcher. The system is fixed to the same plane as the reel, which allows the catcher to follow the contour exactly as the reel, maximizing the volume of grass thrown into the catcher. Easy installation/ removal helps increase operator productivity, and overlap marks promote straightly-mowed passes.



### 14-Blade Reel

This reel offers the ability to lower your frequency of clip, which is defined by the distance traveled between consecutive cuts. By lowering the frequency of clip, you can produce a smooth, clean cut that increases the playability of the putting surface. This reel is available to install on Quick Adjust 5 (QA5) cutting units and 180SL/220SL PrecisionCut™ Walk Greens Mowers.



It's not a 9 to 5 job.  
And no one understands that better than  
your local John Deere Golf distributor.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all countries or regions, and in some countries products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design, and price of the products described in this literature without notice. John Deere's green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company.

\* The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to engine manufacturer's website for additional information. A40, V40, 1200H Engine Manufacturer Gross Power per SAE J1940. Tested in accordance with SAE J1995.

† Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to engine manufacturer's website for additional information. Engine Manufacturer Gross Power per SAE J1940. Tested in accordance with SAE J1995.



**JOHN DEERE**  
GOLF



OFFICIAL  
GOLF COURSE  
EQUIPMENT  
SUPPLIER

